

SUMMIT COUNTY BUILDING INSPECTION DEPARTMENT MATRIX

DISCLAIMER: This list is not fully inclusive. Please contact the Building Inspection Department about any discrepancies.

Seismic Zone B ***Frost Depth - 40" ***Wind Speed - 90 mph ***Exposure: Open Areas "C"/Treed Areas "B"
 Fire Hazard Mitigation ***Class 'A' Roof***Defensible Space***All Soffit and Gable Vents To Have Max 3/16" Openings***

Subdivision	Insp. Zone	ROOF Snow Load	Soils Rept.	Septic/ Sewer	Well/ Water	Fire Dist	Utility /Elec	Plan/Eng	Subdivision Comments	Impact Fee
Acorn Creek Ranch Estates	6	80	?	10	20	62	70	40		YES
Adams Placer Exemption	2	90		11	22	63	71	40		YES
Alders/Alders Townhomes	4	75	YES	18	35	62	71	40		NO
Alpensee	2	80		10	20	63	71	40		YES
Alpine Breckenridge	1	100	YES	10/11	20	63	71	40 +		YES
American	2	90	YES	10	22	63	71	40		YES
Anaconda & Daisy	1	100	YES	10	20	63	71	40 +		YES
Antlers Gulch	4	75		18	35	62	71	40		YES
Arapahoe Lodge	4	75	YES	18	35	62				NO
Arapahoe PUD	4	75	YES	18	35	62	71	40	3 wood burners max. - see Planning	YES
Argentine	4	75	YES	18	35	62				NO
Aspen Springs	1	100		10	20	63	71	40		YES
Autumn Brook	4	75	YES	18	35	62				YES
Avery Acres	6	80	?	10	20	62	71	40		YES
Baldy Ridge Estates	1	100		10/11*	20/22*	63	71	40 +	*Lots 1-6 Breck San/Well; Lots 7-10 EH; Lot 11 Breck W&S **Lots 9 & 10 require automatic fire sprinkler system per Plat note	YES
Barton Addition	2	90	YES	11	20/22	63	71	40		YES
Barton Creek Reserve	2	90		10	22	63		40		YES
Bekkedal	1	90	?	10	20	63	71	40 +		YES
(The) Benches - see Hamilton Creek										YES
Bill's Ranch	3	80		10/16	20	62	71	40 +		YES
Blue Ridge Amended	2	90		11	22	63	71	40		YES
Blue River Highlands	6	80	?	10	20	62	70	40		YES
Blue River Valley Ranch Lakes	5	75	?	10	20/43	62	71	40		YES
Blue Sky Estates	2	90		11	22	63	71	40		YES
Blue Star 101	6	75	?	10	20	62	71	40		YES
Breckenridge Heights	1	90	?	11	20	63	71	40		YES
Breckenridge Industrial Park	1	90	YES	11	22	63	71	40		YES
Breckenridge Park Estates	1	100	?	10/11	20	63	71	40		YES
Brush Creek Ranch	6	80		10	20	62	71	40		YES
Buck Ridge Condos/Townhomes	4	75	YES	18	27	62		40		YES
Buffalo Lodge & the Dakotas Condos	4	75	YES	18	35	62				NO
Buffalo Valley @ Wilderrest	5	80	?	12	23	62	71	40+		YES
Cabins in the Pines	4	75	YES	18	35	62				YES
Campfire Mountain	4	75	YES	18	35	62				YES
Caravelle at Keystone	4	75	YES	18	35	62	71	40		YES
Card	7	75	?	10	20	62	70	40		YES
Cataract Creek Ranch Estates	7	70	?	10	20	62	70	40		YES
Charter Ridge	1	100		11	22	63				YES
Chateau Acadian Condos	4	75	YES	18	27	62	71	40		YES
Chateaux d'mont	4	75	YES	18	35	62				YES
Cinnamon Ridge	4	75	YES	18	35	62	71	40		YES
Clover Meadows Ranch	6	80		10	20	62		40		YES
Continental	2	90		11	22	63	71	40		YES
Copper Mountain	8	90	YES	13	24	62	71	40	Sprinklers req'd per PUD	NO
Copper Mountain West Neighborhood	8	90	YES	13	24	62	71	40	Sprinklers req'd per PUD	NO
Cortina 1	5	80	YES	17	32	62	71	40		YES
Cortina Ridge 1 & 2	5	80	YES	12	23	62	71	40 +		YES
Coyne Placer Valley	2	90	?	11	20/22	63	71	40		YES
Crestwoods	2	90		11	22	63	71	40		YES
Daisy Placer	1	100	YES	10	20	63	71	40		YES
Decatur	4	75	YES	18	35	62				NO
Defore	4	75		10	20	62	71	40		YES
Dercum's Dash	4	75	YES	18	35	62	71	40	disturbance envelope	YES
Dillon, Town of	5	70	?	14	25	62	71	41		NO
Dillon Valley	5	75	?	15	26	62	71	40 +		YES
Discovery	2	90	?	11	22	63	71	40		YES
Dudley Hill	7	70	YES*	10	20/40	62	70	40 +	#Water service to most of SCR 1782 *GEO-tech study encouraged	YES
Dunkin Hill	1	100		11	20	63	71	40		YES
East Ranch	4	85	YES	18	30	62	71	40		YES
Elk Run Sub	6	80		10	20	62	70	40		YES
Elliott Estates Heeney	7	70	YES*	10	20	62	71	40 +	*Geo-tech study encouraged	YES
Estates @ Settlers Creek - see Ski Tip South										NO
Estates @ The Alders - see Alders Sub								40+	Potential wetlands	NO
Evergreen	3	80		16	28	62	71	40		YES
Expedition station	4	75	YES	18	35	62				NO
Fairview Homes	2	90	YES	11	22	63	71	40		YES

Subdivision	Insp. Zone	ROOF Snow Load	Soils Rept.	Septic/ Sewer	Well/ Water	Fire Dist	Utility /Elec	Plan/Eng	Subdivision Comments	Impact Fee
Farmers Grove	2	80		11	22	63	71	40	No wood burning appliances	YES
Farmer's Korner Mobile Home Park	2	80		11	PVT	63	71	40		YES
Flying Dutchman Condo	4			18	35	62				NO
Forest Hills Estates	2	90		10	20	63	71	40		YES
Four O'Clock Sub	1	90	YES	11	22	63	71	40		YES
French Creek Center	1	90		10/11	20/22	63	71	40		YES
Frisco Heights	3	80		10/16	20	62	71	40 +		YES
Frisco Terrace	3	80		10	20	62	71	40		YES
Frostfire	4	75	YES	18	35	62				YES
Gateway	4	75	YES	18	35	62				YES
Giberson Preserve PUD	3	80		10	20	62	71	40		YES
Gilrose	2	90		10	20	63	71	40		YES
Glen Cove	4	75		18	27	62	71	40		YES
Glen Haven	2	80		10	20	63	71	40 +		YES
Gold Hill	2	90		10	20	63	71	40		YES
Gold Hill West II	2	90		10	20	63	71	40		YES
Gold Hill Estates	2	90		10	20	63	71	40		YES
Gold King Hill	2	100		10	20	63	71	40		YES
Gold King Placer	1	100		10	20	63	71	40 +		YES
Golden Eagle Estates	5	80	YES	12	23	62	71	40		YES
Goldenview	1	100		11	20	63	71	40 +		YES
Government Lot 59 PUD	4	75	YES	18	35	62				YES
Government Small Tracts	5	75	?	10	20	62	71	40 +		YES
Green Mountain-Halldorson	7	70	YES*	10	20	62	70	40 +	*Geo-tech study encouraged	YES
Green Mountain Overlook	7	70	YES*	10	20	62	70	40	*Geo-tech study encouraged	YES
Grey Fox	4	75	YES	18	27	62				YES
Hamilton Creek 1 & 2	6	75		10	29	62	71	40		YES
Hearthstone/Enclave	4	75	YES	18	35	62				YES
Henry	6	80		10	20	62	70	40		YES
Hidden River Lodge	4	75	YES	18	35	62				YES
High Country Tracts	5	75	?	10	20/34	62	71	40		YES
High Heavens	2	90	YES	11	22	63	71	40		YES
Highland Meadows PUD	3	80	YES	11	41	63	71	40 +	32' Height Restr.5-11/ Sprinklers req'd per PUD/ disturbance envelope	YES
Hill Ranch	6	80		10	20	62	70	40		YES
Homestead/Lodgepole	4	75	YES	18	35	62				NO
Hughes - see Anaconda & Daisey								40+	Potential wetlands	YES
Hulse	1	90	YES	10	20	63			Height, structure size limitations per plat notes	YES
Huron Heights	2	90		10/11	20	63	71	40 +		YES
I-1 Industrial Area	1	90		11	22	63	71	40		YES
Inn at Keystone	4	75	YES	18	35	62				YES
Ironwood	4	75	YES	18	35	62				YES
Jackpine & Blackbear	4	75	YES	18	35	62				NO
John Francis Hermanussen - see Summerwood										YES
Juniata	1	100		10	20	63	71	40		YES
Key Condo	4	75	YES	18	35	62				YES
Keystone Base I PUD	4	75	YES	18	35	62	71	40		NO
Keystone Gulch Condo	4	75	YES	18	35	62				NO
Keystone Meadows	4	75	YES	18	35	62	71	40		NO
Keystone Ranch	4	85	?	18	30	62	71	40		NO
Keystone West Ranch	4	75	?	18	27	62	71	40		YES
Keystone Village/Keystone Lodge	4	75		18	35	62	71	40		NO
Key West Farms	4	75	?	18	27	62	71	40		YES
Keystone Employee	4	75	YES	18	35	62	71	40		NO
Kingdom Park Trailer Court	1	90		11	PVT	63	71	40		YES
Lakeshore	4	75	YES	18	35	62				NO
Lakeside Terrace	4	75		18	27	62	71	40		YES
Lake View Meadows	2	80	?	11	20	63	71	40 +		YES
Last Chance	4	75	?	18	35	62	71	40 +		NO
Lee's Lakeshore	7	70	YES*	10	20	62	70	40 +	*Geo-tech study encouraged	YES
Legends at Copper Creek	8	90	YES	13	24	62	71	40		NO
Lenawee	4	75	YES	18	35	62				NO
Leo #2	2	80		11	20	63	71	40 +		YES
Lewis Ranch	8	90	YES	13	24	62	71	40 +	All homes req sprinkler systems	NO
Liftside at Keystone	4	75	YES	18	35	62				YES
Little Cally - see Petersen										YES
Loma Verde	1	100		10	20	63	71	40 +		YES
Lone Eagle	4	75	YES	18	35	62				NO
Lost Creek Ranch	7	75	?	10	20	62	70	40		YES
Lot 3 Duplexes	5	80	?	12	23	62	71	40		YES
Loveland Pass Village	4	75	YES	18	35	62	71			YES
Masters @ Copper Creek	8	90	YES	13	24	62	71	40		YES
Mc Conaty	6	75	?	10	20	62	70	40		YES
Mc Dill Placer	1	100		11	20	63	71	40 +		YES
McDill Placer East	1	100		10	20	63		40		YES
Mc Kee	6	80	?	10	20	62	70	40		YES
Meadow Trails	5	75		14	34	62	71	40		YES
Meadow Wood	4	80	YES	18	27	62	71	40	No Woodburning Appliances	YES
Meadowbrook Acres	6	80	YES	10	20	62	70	40 +		YES
Mesa Cortina	5	80	YES	17	32	62	71	40		YES
Mesa Cortina West	5	80	YES	17	32	62	71	40 +		YES
Mill Creek	4	75	YES	13	24	62				YES
Miller PUD	4	75	YES	18	35	62	71	40		YES

Subdivision	Insp. Zone	ROOF Snow Load	Soils Rept.	Septic/ Sewer	Well/ Water	Fire Dist	Utility /Elec	Plan/Eng	Subdivision Comments	Impact Fee
Miner's Ridge	2	90		11	22	63	71	40		YES
Miner's View Estates #2	1	100		10	20	63	71	40 +		YES
Miner's View Estates Filing No. I-A	1	100		10	20	63	71	40 +		YES
Montezuma Heights	4	100	YES	10	20	62	71	40 +		YES
Montezuma, Town of	4	100	YES	10	20	62	71	42		NO
Moon Valley	4	75		18	35	62	71	40	Impact Fee applies only for lots 15, 18-22, 43, 52-59	YES, SEE NOTES
Mountain Meadows	2	100	YES	10	20	63	71	40		YES
Mountain View Plaza/Townhomes	4	75	YES	18	35	62				YES
Muggins Gulch	2	100	YES	10	20	63	71	40	All new homes shall include a res sprinkler system along w/ an onsite 4,000gal (or greater) water storage tank to provide a draft water supply to the fire dept. in case of an emergency. 4,000 gal storage tank may also be used as a storage requirement for the sprinkler system - per Plat Note. 4-8-14	YES
North Fork	4	75	YES	18	35	62	71	40		YES
North Fork Reserve	4	75	YES	18	35	62	71	40	Fire Dept. Sign off req'd 2-14	YES
North Fork River Estates	4	75	YES	18	35	62	71	40		YES
Northstar at Keystone	4	75	YES	18	35	62				NO
Old Keystone Golf Course	4	75		18	35	62	71	40		NO
Oro Grande	4	75	YES	18	35	62				YES
Overlook Estates	1	90		11	22	63	71	40		YES
Overlook Retreat @ Breckenridge	1	90		11	22	63	71	40		YES
Overlook Sub #1 and #2	1	90		11	22	63		40		YES
Parkville	1	100		10	20	63	71	40		YES
Peak 7 West	2	90	YES	11	22	63	71	40		YES
Peak 8 Trailer Park	1	90		11	PVT	63	71	40		YES
Pebble Creek Ranch	6	80	YES	10	20	62	71	40		YES
Petersen (was Little Cally)	4	75	?	18	27	62	71	40		YES
Phillip's Resub	7	70	YES*	10	20	62	70	40 +	*Geo-tech study encouraged	YES
Pine Vista	2	90	YES	11	22	63	71	40		YES
Pines at Keystone Condo	4	75	YES	18	35	62				NO
Pinnacle at Summerwood	4	75		18	27	62	71	40		YES
Pineglen	1	100		19	22	63	71	40		YES
Piney Acres	5	75	?	10/15	20/26	62	71	40 +	New homes will use Dillon Valley Metro W & S	YES
Pioneer Creek Ranch	6	80	?	10	20	62	71	40+		YES
Placer Acres	2	90		11	20	63	71	40		YES
Plaza	4	75	YES	18	35	62				NO
Ponderosa	2	90	YES	11	22	63	71	40		YES
Quail Estates	1	90		10	20	63	71	40		YES
Quality Hill	2	90		10	20	63	71	40		YES
Quandary Village #1	1	100	YES	10	20	63	71	40 +		YES
Quandary Village #2 (Northstar)	1	100	YES	10	20	63	71	40 +		YES
Quicksilver Commercial/Condo	4	75	YES	18	35	62				NO
Quicksilver Community Site	4	75	YES	18	35	62	71	40		NO
Rainbow Amended	2	90	YES	11	22	63	71	40		YES
Ranch at Breckenridge	1	100		10	20	63	71	40		YES
Red Hawk	4	75	YES	18	35	62				NO
Red Mountain Estates	1	100	YES	10	20	63	71	40	Lots 3, 4 and 5 within subdivision sprinklers req'd. Per Plat Note.	YES
Red Tail Ranch	2	90	YES	10	20	63		40		YES
Ridge Crest	2	90		11	22	63	71	40		YES
River Blue Curacao	6	80		10	20	62	70	40		YES
River Meadows @ Ski Tip	4	75	YES	18	35	62	71	40		YES
River Bank Lodge Condo	4	75	?	18	35	62				YES
Rivers Edge PUD	1	90		11	22	63	71	40		NO
River Run TownHomes	4	75	YES	18	35	62				NO
River Run Village	4	75	YES	18	35	62				NO
Rivertree Estates	2	80		11	20	63	71	40 +		YES
Ruby Ranch	5	80	?	10	36	62	71	40 +		YES
Sage Creek Canyon	6	75	?	10	33	62	71	40 +		YES
Sts John Condo	4	75	YES	18	35	62				NO
Saw Whiskers	4	75		18	35	62	71	40		NO
Sawlog/Wonderful Placer	1	100		10	20	63	71	40		YES
The Seasons @ Keystone	4	75		18	35	62				NO
Seldom Acres	2	80		10	20	63	71	40		YES
Settlers Creek Filing 1	4	75	YES	18	35	62	71	40		NO
Shadows	2	90	YES	11	22	63	71	40		YES
Shadows North Amended	2	90	YES	11	22	63	71	40		YES
Shadow Creek Ranch	7	75	YES	10	20	* **		40	*Summit Fire **Conservation Dist reqs Open Space sig. Has private road maintenance. No R&B Sign off	YES
Shane Gulch	6	70		10	20	62	70	40		YES
Sierra Bosque	6	75		10	20	62	70	40 +		YES
Silver Mill	4	75	YES	18	35	62				NO
Silver Shekel	2	90	?	11	22	63	71	40		YES
Ski Run Condos	4	75		18	35	62	71	40		YES
Ski Tip Ranch & Ski Tip South - See Settlers Creek Filing 1										NO
Ski Tip West	4	75	YES	18	35	62	71	40 +		YES

Subdivision	Insp. Zone	ROOF Snow Load	Soils Rept.	Septic/ Sewer	Well/ Water	Fire Dist	Utility /Elec	Plan/Eng	Subdivision Comments	Impact Fee
Skyview Canyon	1	100		19	22	63	71	40		YES
Slopeside Condos	4	75	YES	18	35	62				YES
Snake River Townhomes/Snake River Village Condo	4	75	YES	18	35	62				YES
Snake River Village Sub [1379]	4	75	YES	18	35	62				YES
Snowberry	4	75	?	18	27	62	71	40		YES
Snowdance	4	75	YES	18	35	62				YES
Soda Creek Acres	4	75		18	27	62	71	40		YES
Soda Creek Lake Dillon	4	75	YES	18	27	62	71	40 +	NO wood burning appliances.	YES
Soda Spring at Keystone Condo	4	75	YES	18	35	62				NO
Sonne PUD	4	75	YES	18	35	62	71	40		YES
South Face Homes	1	100		11	22	63	71	40		YES
South Forty	6	75	?	10	20	62	71	40 +		YES
South Winter	6	80	?	10	20	62	70	40		YES
Spring Creek Ranch	7	70		10/44	20	62	70	40		YES
Springs at River Run	4	75	YES	18	35	62				NO
Spruce Park	1	100	?	10	20	63				YES
Spyglass @ Wildernest	5	80	?	12	23	62				YES
Starfire Townhomes	4	75		18	35	62				NO
Stephens Subdivision Heeney	7	70	YES*	10	20	62	70	40 +	*Geo-tech study encouraged	YES
Stockponds West	5	80	YES	10/19	20/34	62	71	40		YES
Straight Creek Ponds	5	75		15	26	62	71	40+		YES
Summerwood	4	75		18	27	62	71	40		YES
Summit Center	4	75		18	27	62	71	40		YES
Summit County PUD	3	80		16	28	62	71	40		YES
Summit Cove	4	75	?	18	27	62	71	40		YES
Summit Estates Sub #1, #2 and #4	2	90		10	20	63	71	40	Sprinklers req'd per 'Plat Note'. Re-ranked 2012	YES
Summit Estates Sub #3, #3 Lot 6	2	90		10	20	63	71	40		YES
Summit Guest Ranch	6	80	YES	10	20	61	71	40		YES
Sunbowl @ Hamilton Creek	6	75	?	10	29	62	71	40		YES
Sunchaser	2	90		11	22	63	71	40		YES
Sunset Point	1	90		11	22	63	71	40		YES
Swan Meadow Village	4	75	?	18	27	62	71	40	No woodburning appliances	YES
Swans Nest	2	90		11	39	63	71	40		YES
Swan River Ranch	2	90		11	39	63	71	40 +		YES
Swan River Valley	2	90		10	20	63	71	40		YES
Swan Valley Estates	2	90		10	20	63	71	40		YES
Tanglewood Village	5	75		10	20	62	71	42		YES
Tatro PUD	2	90		11	22	63	71	40		YES
Tatum Tracts	2	80		10	20	63	71	40		?
Ten Mile Vista	2	90		10/11	20	63	71	40		YES
Tenderfoot Lodge	4	75	YES	18	35	62				YES
Tenderfoot Sub 2-5	4	75	YES	18	35	62	71	40		NO
Tennis Townhomes	4	75	YES	18	35	62				NO
39 Degrees North	1	100		10	20	63	71	40 +		YES
Tiger Run RV Resort	2	80		11	PVT*	63	71	40		YES
Timber Creek	8	90	YES	13	24	62				NO
Timbers at River Run	4	75	YES	18	35	62				YES
Tom's Baby	1	90	YES	11	22	63	71	40		YES
Tordal Estates	1	100		10	20	63	71	40 +		YES
Trappers Crossing	4	75	YES	18	35	62				NO
Treehouse Condos	5	80	YES	12	23	62				YES
Tyrollean Terrace	1	90		11	22	63	71	40		YES
TYL Ranch	6	80	?	10	20	62	70	40		YES
Upper Slope	2	90	YES	10	22	63	71	40		YES
Ute Camp @ Hamilton Creek	7	80		10	20	62	70	40		YES
Ute Peak Ridge	6	80	?	10	20	62	70	40		YES
Valdora Village (French Creek)	1	90		11	22	63	71	40		YES
Valley of the Blue	1	100		1	20	63	71	40 +	Some new homes will be on sewer, ask EH	YES
Village at Wildernest	5	80	YES	12	23	62	71	40		YES
Villamont Condos	3	80	?	12	23	62				YES
Waterview Homesites Heeney	7	70	YES*	10	20	62	70	40 +	*Geo-tech study encouraged	YES
Webb Tracts	6	75		10	20	62	70	40		YES
Western Sky Ranch	2	90	YES	10	20	63	71	40	Height limitations & structure, size & garage size limitations. Sprinklers req'd per Plat Note.	YES
West Hills	4	75	?	18	35	62				NO
West Pines @ Keystone	4	75	?	18	35	62	71	40 +		NO
Whatley Reserve	2	90	?	10	20	63	71	40		YES
Whispering Pines Ranch	4	75	YES	18	27	62	71	40 +	No woodburning appliances	YES
Wiborg Park	3	80		10	20	62	71	40		YES
Wild Irishman	4	75	?	18	35	62	71	40		NO
Wildernest	5	80	?	12	23	62	71	40 +		YES
Wildernest Center	5	75		12	23	62	71	40		YES
Willow Hills Heeney	7	70	YES*	10	20	62	70	40 +	*Geo-tech study encouraged	YES
Willow Springs	1	90		10	20	63	71	40		YES
Willows Condo	4	75	YES	18	35	62				NO
Wintergreen	4	75		18	35	62	71	40		NO
Winterwood	2	90	YES	10	22	63	71	40		YES
Woodmoor @ Breck	1	100		11	22	63	71	40		YES
Zeppelin	1	90	YES	10	20	63	71	40		YES

RELATED AGENCIES

As referenced in previous sections, various agencies throughout the county are involved in the building permit process. The role of these agencies depends on the subdivision or town in which the project is located and the type of project being constructed.

Principal agencies for the building permit process are:

Summit County Building Inspection Department
0037 Peak One Drive
Frisco, CO 80443 (970) 668-3170

Town of Silverthorne
601 Center Circle
Silverthorne, CO 80443 (970) 262-7360

Town of Dillon
275 Lake Dillon Drive
Dillon, CO (970) 468-2403

Town of Montezuma
5465 Hardwick Street
Montezuma, CO 80435 (970) 513-6846

The following is a list of related agencies involved in the building permit process. The number at the left of each agency also appears under appropriate columns in the Building Inspection Department Matrix to identify subdivisions in which they have responsibility or provide service.

SEPTIC SYSTEMS / SEWER DISTRICTS

MATRIX NO.	AGENCY	TELEPHONE NUMBER
10	Summit County Environmental Health Department - 37 Peak One Dr, Frisco	970 668-4070
11	Upper Blue Sanitation - 1605 Airport Rd	970 453-2723 Sig not req'd on hot tubs
12	Buffalo Mountain Metro District - 106 Adams Ave, Silverthorne	970 513-1300
13	Copper Mountain Water & Sanitation District -0477 Copper Rd, Copper Mountain	970 968-2390
14	Dillon/Silverthorne Joint Authority (Dillon-275 Lake Dillon; Silverthorne - 26452 Hwy 9, Silverthorne)	970-468-2403 Dillon; 970-468-6152 Silverthorne
15	Dillon Valley Metro District - 114 Village pl, Ste 304 in Dillon Tech Ctr	970-390-1306 Deborah Polich
16	Frisco Sanitation District - 111 S. Summit Blvd	970 668-3723
17	Mesa Cortina Water & Sanitation District - 58 Grey Fox Ln, Dillon	970 468-6256
18	Snake River Sanitation District - 4344 Swan Mountain Rd - Electronic Submittals preferred.	970-468-5794 sig - all BP except resi HT (no san) & decks
19	Town of Silverthorne - 601 Center Circle	970 262-7340

WATER WELL SYSTEMS / WATER DISTRICTS

MATRIX NO.	AGENCY	TELEPHONE NUMBERS
20	Colorado Department of Natural Resources (Wells)	303-866-3587 - Contact for new well permit
22	Public Works, Water Division - 1095 Airport Road, Breck	970-453-3170 Sig not req'd on hot tubs
23	Buffalo Mountain Metro District - 106 Adams Ave - Silverthorne	970-513-1300
24	Copper Mountain Water & Sanitation District -0477 Copper Rd, Copper Mountain	970-968-2390
25	Dillon, Town of - 275 Lake Dillon Drive	970-468-2403
26	Dillon Valley Metro District - 114 Village pl, Ste 304 in Dillon Tech Ctr	970-390-1306 Deborah Polich
27	East Dillon Water District - 58 Grey Fox Ln, Dillon	970-468-6256 sig on 'MH' and new structures, not added bedrooms or baths. Speak w/Tom or Ron.
28	Frisco, Town of, Public Works - 102 School Rd, Frisco	970-668-0836
29	Hamilton Creek Metro District - 114 Village Pl. Suite 304 - Dillon	970-468-6725
30	Keystone Water Operations	970-496-4990 Cliff Avery (KWO); contracts w/ Matt Willitts @ Water Solutions Inc 970-262-0217 (office) 970-390-8615 (cell)
32	Mesa Cortina Water & Sanitation District -58 Grey Fox Ln, Dillon	970-468-6256
33	Sage Creek Canyon Corp.	970-470-3001
34	Silverthorne, Town of - 601 Center Circle	970-262-7344 Zach Margolis
35	Snake River Water District - 0050 Oro Grande Dr, Keystone	970-468-0328 sig on all BP
36	Ruby Ranch Water-100 Adams Ave, Silverthorne	970-468-7688 Eric Kircher
39	Swan's Nest Metropolitan District - 379 Revett Dr, Breck	970-547-0367
40	Heeney Water District - 83 SCR 1799, Heeney	303-807-4743
41	Alpensee Water	970-485-0819 Lori Cutuniulli to arrange location for signature
42	Tanglewood Water Association	970-468-9110 Laura Borkovec
43	Blue River Valley Water	970-389-4491 John Bolk
44	Spring Creek Ranch Community Well	970-724-9352

PLANNING DEPARTMENTS

MATRIX NO.	AGENCY	TELEPHONE NUMBER
40	Summit County Planning or Engineering Department	970-668-4200
40 +	Summit County Plan or Eng. Reqs review for possible site/environmental constraints	970-668-4200
40	Summit County Planning - possible sprinkler reqs per PUD or Plat Notes	970-668-4200
41	Town of Dillon Planning Department	970-468-2403
42	Town of Montezuma Planning and Zoning	970-513-6846

ENGINEERING / PUBLIC WORKS DEPARTMENTS

MATRIX NO.	AGENCY	TELEPHONE NUMBER
50	Summit County Engineering Department	970-668-4200
51	Town of Montezuma - Lesley Davis	970-513-6846
52	Town of Dillon	970-468-2403

RELATED AGENCIES

FIRE DISTRICTS Sign off required for all commercial or multi-family permits.

MATRIX NO.	AGENCY	TELEPHONE NUMBER
62	Summit Fire & EMS (Frisco, Silverthorne, Keystone, Copper Mountain) - Kim McDonald	970-262-5100 (Frisco location)
63	Red, White & Blue (Breck and South)-Jay Nelson	970 453-2474

FIRE HAZARD MITIGATION SIGNATURE REQUIRED FOR ALL RATINGS:

CONTACTS	Summit Fire & EMS (Frisco, Silverthorne, Keystone, Copper Mountain) - Kim McDonald	970-262-5100 (Frisco location)
	Red, White & Blue (Breck and South)-Jay Nelson	970-453-2474

UTILITY SERVICES

MATRIX NO.	AGENCY	TELEPHONE NUMBER
70	Mountain Parks Electric Service - Granby, CO	970 887-3378
71	Xcel Energy - Public Service Company of Colorado	800-895-4999
72	CenturyLink Customer Service	800 244-1111
Elevators	Northwest Colorado Council of Governments (NWCCOG)	970-468-0295 x108
USFS	US Forest Service	970-468-5400

COUNTY CLERK & RECORDER 970-453-3470

MANAGER'S OFFICE Eva Henson 970-668-3402